

	Hits	Search Text	DBs
1	50	("5768388" "5588061" "5905799" "4598385" "5604899" "5611076" "5617567" "5652882" "5666414" "5675779" "5713014" "5826259" "6072876" "5515441" "5553145" "5629982" "5666420" "5680458" "6058484" "6134326" "6137884" "4354227" "4611280" "4829169" "5254814" "5349663" "5420924" "5491749" "5497422" "5497486" "5506949" "5600722" "5604807" "5664017" "5708716" "5717915" "5730604" "5748742" "5754656" "5764772" "5768380" "5768389" "5790669" "5823789" "5852665" "5864622" "5878262" "5907602" "5913203" "5987123").pn.	USPAT
2	4	euchner-martin.in.	US-PGPUB; USPAT
3	1	("5241599").PN.	USPAT; USOCR
4	13	("4193131"   "4438824"   "4549075"   "4588985"   "4720859"   "4723284"   "4799061"   "4805216"   "5148479"   "5153919"   "5241599"   "5299263"   "5371294").PN.	USPAT
5	11	"5491749".URPN.	USPAT
6	1	"4193131".PN.	USPAT
7	57	"5241599".URPN.	USPAT
8	1	("4956863").PN.	USPAT; USOCR
9	2364	713/168-169,171,181;380/30,281- 282,284-285.ccls.	US-PGPUB; USPAT
10	139	713/168-169,171,181;380/30,281- 282,284-285.ccls. and ((key near2 exchang\$3) same diffie\$1hellman)	US-PGPUB; USPAT

	Hits	Search Text	DBs
11	55	(713/168-169,171,181;380/30,281-282,284-285.ccls. and ((key near2 exchang\$3) same diffie\$1hellman)) and password	US-PGPUB; USPAT
12	43	((713/168-169,171,181;380/30,281-282,284-285.ccls. and ((key near2 exchang\$3) same diffie\$1hellman)) and password) and hash\$3	US-PGPUB; USPAT
13	1	("4200770").PN.	USPAT; USOCR
14	1698	key near2 (exchang\$3 or establish\$3) same authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	313	(key near2 (exchang\$3 or establish\$3) same authenticat\$3) and diffie-hellman	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	192	((key near2 (exchang\$3 or establish\$3) same authenticat\$3) and diffie-hellman) and ((password or pwd or "shared secret" or "secret key") near4 (encrypt\$3 or decrypt\$3 or hash\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	53	((((key near2 (exchang\$3 or establish\$3) same authenticat\$3) and diffie-hellman) and ((password or pwd or "shared secret" or "secret key") near4 (encrypt\$3 or decrypt\$3 or hash\$3))) and @ad<"19981103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	13	("4193131"   "4438824"   "4549075"   "4588985"   "4720859"   "4723284"   "4799061"   "4805216"   "5148479"   "5153919"   "5241599"   "5299263"   "5371294").PN.	US-PGPUB; USPAT; USOCR
19	5	euchner-martin.in.	US-PGPUB; USPAT

	Hits	Search Text	DBs
20	12	"5491749".URPN.	USPAT
21	58	"5241599".URPN.	USPAT
22	50	((713/168-169,171,181;380/30,281-282,284-285.ccls. and ((key near2 exchang\$3) same diffie\$1hellman)) and password) and hash\$3	US-PGPUB; USPAT
23	85	((key near2 (exchang\$3 or establish\$3) same authenticat\$3) and diffie-hellman) and ((password or pwd or "shared secret" or "secret key") near4 (encrypt\$3 or decrypt\$3 or hash\$3))) and (@ad<"19981103" or @rlad<"19981103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	49	message with (encrypted or encoded) with (plaintext or unencrypted or unencoded) with ((symmetric or secret or shared) near3 (key or cipher or algorithm or cryptography or function))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	25	S129 and (@ad<"19981103" or @rlad<"19981103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	11	message with (includ\$3 or compris\$3 or contain\$3) with (encrypted or encoded) with (plaintext or unencrypted or unencoded) with (symmetric or secret or shared)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB